

Miniklausur zur Vorlesung Programmierung

Aufgabe 1 (10 Punkte)

Lesen sie die folgenden Anweisungen und kreuzen sie die korrekte Antwort an.

```
int a = 5;  
int b = 3;  
int c = 7;
```

```
c = b;  
b = a;  
a = c;
```

Die neuen Werte von a, b und c sind:

- a = 3, b = 5, c = 7
- a = 15, b = 10, c = 22
- a = 12, b = 8, c = 10
- a = 7, b = 7, c = 7
- a = 3, b = 5, c = 3
- a = 0, b = 0, c = 7
- a = 5, b = 3, c = 7
- a = 3, b = 3, c = 3
- a = 7, b = 5, c = 3
- a = 3, b = 5, c = 0
- a = 3, b = 7, c = 5
- a = 8, b = 10, c = 12
- a = 5, b = 5, c = 5
- a = 15, b = 8, c = 10
- a = 10, b = 5, c = 0
- a = 0, b = 0, c = 15

Miniklausur zur Vorlesung Programmierung

Aufgabe 1 (10 Punkte)

Lesen sie die folgenden Anweisungen und kreuzen sie die korrekte Antwort an.

```
int a = 5;  
int b = 3;  
int c = 7;
```

```
b = a;  
c = b;  
a = c;
```

Die neue Werte von a, b und c sind:

- a = 0, b = 7, c = 3
- a = 12, b = 8, c = 10
- a = 15, b = 0, c = 0
- a = 0, b = 7, c = 8
- a = 3, b = 7, c = 3
- a = 5, b = 3, c = 7
- a = 3, b = 3, c = 3
- a = 7, b = 5, c = 3
- a = 20, b = 8, c = 15
- a = 3, b = 7, c = 5
- a = 5, b = 0, c = 0
- a = 8, b = 10, c = 15
- a = 5, b = 5, c = 5
- a = 8, b = 10, c = 12
- a = 5, b = 7, c = 3
- a = 7, b = 7, c = 7

Miniklausur zur Vorlesung Programmierung

Aufgabe 1 (10 Punkte)

Lesen sie die folgenden Anweisungen und kreuzen sie die korrekte Antwort an.

```
int a = 5;  
int b = 3;  
int c = 7;
```

```
a = c;  
c = b;  
b = a;
```

Die neue Werte von a, b und c sind:

- a = 0, b = 12, c = 3
- a = 5, b = 5, c = 5
- a = 0, b = 7, c = 3
- a = 8, b = 10, c = 12
- a = 15, b = 0, c = 0
- a = 3, b = 7, c = 5
- a = 12, b = 15, c = 10
- a = 5, b = 7, c = 3
- a = 3, b = 3, c = 3
- a = 7, b = 7, c = 7
- a = 12, b = 8, c = 10
- a = 5, b = 0, c = 0
- a = 5, b = 3, c = 7
- a = 7, b = 7, c = 3
- a = 20, b = 15, c = 12
- a = 7, b = 5, c = 3

Miniklausur zur Vorlesung Programmierung

Aufgabe 1 (10 Punkte)

Lesen sie die folgenden Anweisungen und kreuzen sie die korrekte Antwort an.

```
int a = 5;  
int b = 3;  
int c = 7;
```

```
a = c;  
b = a;  
c = b;
```

Die neue Werte von a, b und c sind:

- a = 3, b = 5, c = 5
- a = 3, b = 3, c = 3
- a = 12, b = 14, c = 22
- a = 8, b = 15, c = 12
- a = 7, b = 7, c = 7
- a = 5, b = 3, c = 7
- a = 5, b = 5, c = 5
- a = 7, b = 5, c = 3
- a = 3, b = 7, c = 5
- a = 12, b = 8, c = 10
- a = 10, b = 8, c = 12
- a = 0, b = 0, c = 7
- a = 0, b = 0, c = 15
- a = 3, b = 12, c = 0
- a = 3, b = 5, c = 7

Miniklausur zur Vorlesung Programmierung

Aufgabe 1 (10 Punkte)

Lesen sie die folgenden Anweisungen und kreuzen sie die korrekte Antwort an.

```
int a = 5;  
int b = 3;  
int c = 7;
```

```
c = b;  
b = a;  
a = c;
```

Die neue Werte von a, b und c sind:

- a = 3, b = 5, c = 7
- a = 15, b = 10, c = 22
- a = 12, b = 8, c = 10
- a = 7, b = 7, c = 7
- a = 3, b = 5, c = 3
- a = 0, b = 0, c = 7
- a = 5, b = 3, c = 7
- a = 3, b = 3, c = 3
- a = 7, b = 5, c = 3
- a = 3, b = 5, c = 0
- a = 3, b = 7, c = 5
- a = 8, b = 10, c = 12
- a = 5, b = 5, c = 5
- a = 15, b = 8, c = 10
- a = 10, b = 5, c = 0
- a = 0, b = 0, c = 15